

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6989910".pn.	USPAT	OR	OFF	2006/12/08 12:27
L2	3822	358/1.15	USPAT	OR	OFF	2006/12/08 12:27
L3	0	"20030005097"	USPAT	OR	OFF	2006/12/08 12:27
L4	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:27
L5	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:27
L6	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2006/12/08 12:27
L7	12	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
L8	6	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
L9	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
L10	13	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
L11	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
L12	29	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
L13	5635110	system (manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27
L14	5232126	system (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27
L15	160298	system and (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27

## EAST Search History

L16	60633	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L17	2950	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L18	11995434	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L19	1879	L17 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L20	361911	L13 same (sav\$3 stor\$3 queue\$4) same (specification configuration configure rule\$1 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L21	905	L20 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L22	365511	L13 same (sav\$3 stor\$3 queue\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L23	11995434	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L24	5073	358/1.15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L25	1182159	(manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

## EAST Search History

L26	253842	L25 and (sav\$3 stor\$3 queue\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 13:24
L27	135851	L26 and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L28	2058	L27 and (network near2 print\$2) and printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L29	404	L28 and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L30	173	L28 and L24 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L31	173	L28 and L24 and queue and printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L32	9366	L27 and network same printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L33	721	L32 and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L34	259	L32 and L24 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L35	272	L32 and L24 and queue\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

## EAST Search History

L36	0	"20030005097"	USPAT	OR	OFF	2006/12/08 12:28
L37	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2006/12/08 12:28
L38	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
L39	2950	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L40	1879	L39 and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L41	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:28
L42	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:28
L43	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
L44	12	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
L45	6	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
L46	13	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
L47	29	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
L48	160	(creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L49	3	(rule\$1 parameter\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

## EAST Search History

L50	0	(@rlad<"20010628" @ad<"20010628") and L49	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L51	344	(produc\$4 new generat\$3 creat\$3 develop\$3 mak\$3) near15 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L52	6	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L53	12	(rule\$1 parameter\$1 policy) near10 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L54	827	(admin\$8 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L55	1	(@rlad<"20010628" @ad<"20010628") and L52	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L56	824	(administrator\$1 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L57	1706	(print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L58	1087	(@rlad<"20010628" @ad<"20010628") and L57	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L59	2	(@rlad<"20010628" @ad<"20010628") and L53	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

## EAST Search History

L60	14	(administrator\$1 user\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L61	8	(@rlad<"20010628" @ad<"20010628") and L60	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L62	109	(@rlad<"20010628" @ad<"20010628") and L48	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
L63	2	"0824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
L64	24	"824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
L65	1	"20030005097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
L66	1	"20030149761"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 13:29